


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used **multi FPGA emulation**

Found 25 of 175,083

Sort results by

Display results


[Save results to a Binder](#)

[Search Tips](#)
☐ Open results in a new window

[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Results 1 - 20 of 25

 Result page: [1](#) [2](#) [next](#)

 Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Software for Reconfigurable Systems: Incremental reconfiguration of multi-FPGA systems](#)



K. K. Lee, D. F. Wong

 February 2002 **Proceedings of the 2002 ACM/SIGDA tenth international symposium on Field-programmable gate arrays**

Publisher: ACM Press

 Full text available: pdf(146.68 KB) Additional Information: [full citation](#), [abstract](#), [references](#)

In reconfigurable computing, circuits implemented on multi-FPGA systems have to be incrementally modified. Since reconfiguring an FPGA is time-consuming, the time for reconfiguration depends on the number of FPGAs to be reconfigured. Our objective is to reduce the number of such FPGAs. In this paper, we consider the specific problem of incrementally reconfiguring a multi-FPGA system that utilizes the direct interconnection architecture, where routing connections between FPGAs are to neighbors th ...

2 [Target architecture oriented high-level synthesis for multi-FPGA based emulation](#)



Oliver Bringmann, Carsten Menn, Wolfgang Rosenstiel

 January 2000 **Proceedings of the conference on Design, automation and test in Europe**

Publisher: ACM Press

Full text available: pdf(122.87 KB)

 Additional Information: [full citation](#), [references](#), [index terms](#)

[Publisher Site](#)

3 [Multi-terminal net routing for partial crossbar-based multi-FPGA systems](#)



Abdel Ejnoui, N. Ranganathan

 February 1999 **Proceedings of the 1999 ACM/SIGDA seventh international symposium on Field programmable gate arrays**

Publisher: ACM Press

Full text available: pdf(1.06 MB)

 Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: FPGA architecture, FPGA routing, branch-and-price, integer programming, interconnect optimization, layout synthesis


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used **FPGA emulate data packet network**

Found 51 of 175,083

Sort results by


[Save results to a Binder](#)
[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Display results


[Search Tips](#)
☐ Open results in a new window

Results 1 - 20 of 51

 Result page: [1](#) [2](#) [3](#) [next](#)

 Relevance scale ☐ ☐ ☐ ☐ ☐

1 [A Complete Network-On-Chip Emulation Framework](#)

N. Genko, D. Atienza, G. De Micheli, J. M. Mendias, R. Hermida, F. Catthoor

 March 2005 **Proceedings of the conference on Design, Automation and Test in Europe - Volume 1**

Publisher: IEEE Computer Society

 Full text available: [pdf\(257.92 KB\)](#) Additional Information: [full citation](#), [abstract](#)

Current Systems-On-Chip (SoC) execute applications that demand extensive parallel processing. Networks-On-Chip (NoC) provide a structured way of realizing interconnections on silicon, and obviate the limitations of bus-based solution. NoCs can have regular or ad hoc topologies, and functional validation is essential to assess their correctness and performance. In this paper, we present a flexible emulation environment implemented on an FPGA that is suitable to explore, evaluate and compare a wide ...

2 [Balancing performance and flexibility with hardware support for network architectures](#)



Ilija Hadžić, Jonathan M. Smith

 November 2003 **ACM Transactions on Computer Systems (TOCS)**, Volume 21 Issue 4

Publisher: ACM Press

 Full text available: [pdf\(719.03 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The goals of performance and flexibility are often at odds in the design of network systems. The tension is common enough to justify an architectural solution, rather than a set of context-specific solutions. The Programmable Protocol Processing Pipeline (P4) design uses programmable hardware to selectively accelerate protocol processing functions. A set of field-programmable gate arrays (FPGAs) and an associated library of network processing modules implemented in hardware are augmented with so ...

Keywords: FPGA, P4, computer networking, flexibility, hardware, performance, programmable logic devices, programmable networks, protocol processing

3 [Wireless home networks: Design and implementation of the HiperLan/2 protocol](#)



E. P. Vasilakopoulou, G. E. Karastergios, G. D. Papadopoulos

 April 2003 **ACM SIGMOBILE Mobile Computing and Communications Review**, Volume 7 Issue 2

Publisher: ACM Press

 Full text available: [pdf\(1.50 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)

In recent years, wireless communication systems have experienced an enormous



FPGA + NoC verification

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar

Results 1 - 10 of about 199 for **FPGA + NoC verification**. (2.13 seconds)

Bringing Communication Networks on a Chip: Test and Verification Implications - group of 8 »

B Vermeulen, J Dielissen, K Goossens, C Ciordas - IEEE Communications Magazine, 2003 - [ieeexplore.ieee.org](#)
 ... another processing block P1 via the **NOC**. If, in the **verification** of P3, a situation has to be reproduced ... to the behavior of, for example, an **FPGA** model or a ...

[Cited by 13](#) - [Web Search](#) - [BL Direct](#)

A FLEXIBLE CIRCUIT-SWITCHED NOC FOR FPGA-BASED SYSTEMS

C Hilton, B Nelson - [ieeexplore.ieee.org](#)

... grow – the desire for efficiencies in design and **verification** methodologies ... of a flexible and lightweight circuit-switched **NOC** for **FPGA**-based systems ...

[Web Search](#)

A network on chip architecture and design methodology - group of 9 »

S Kumar, A Jantsch, JP Soininen, M Forsell, M ... - Proc. Symposium on VLSI, 2002 - [ieeexplore.ieee.org](#)

... For example an area dedicated to **FPGA** or embedded ... potential methods, if adapted to **NOC** concept. The development and **verification** environments should provide a ...

[Cited by 148](#) - [Web Search](#)

MAIA-CAD Framework for Networks-on-Chip Synthesis

LC Ost, A Melio, NL Calazans, FG Moraes - [inf.puors.br](#)

... Table 1 - 3x3 HERMES **NoC** area data for XC2V1000 **FPGA** (5120 available slice)
 Implementation Cost (in slices ... Analysis' result **NoC verification** Traffic Analysis ...

[View as HTML](#) - [Web Search](#)

ON CONNECTING CORES TO PACKET SWITCHED ON-CHIP NETWORKS: A CASE STUDY WITH MICROBLAZE PROCESSOR ... - group of 3 »

R Holmström, A Johansson, S Kumar - [hem.hj.se](#)

... program in the PC helps to see the results of this **verification** experiment on ... is quite conceivable that we may soon have a new **FPGA** with **NoC** backbone as a ...

[View as HTML](#) - [Web Search](#)

Modeling NoC Architectures by Means of Deterministic and Stochastic Petri Nets

H Blume, T von Sydow, D Becker, TG Noll - Springer

... In this contribution the modeling of basic **NoC** communication scenarios ... provide a test bed for the **verification** of modeling ... a state-of-the-art **FPGA**-platform has ...

[Web Search](#)

HIBI-based Multiprocessor SoC on FPGA - group of 2 »

E Salmiinen, A Kulmala, TD Hämäläinen - Proc. IEEE International Symposium on Circuits and Systems (...), 2005 - [ieeexplore.ieee.org](#)

... **Verification** stand-alone simulation, HW/SW co-simulation, hardware ... V. R ESULTS AND CONCLUSIONS **FPGA** synthesis results for some **NoC** proposals from ...

[Cited by 1](#) - [Web Search](#)

From NoC Security Analysis To Design Solutions

S Evain, JP Digne - [vsp2.ecs.umass.edu](#)

... Figure 1. **NoC** distributed over **FPGA** and ASIC ... unauthorised read or write transaction (by filter **verification** in master ... this case, only a part of the **NoC** is in ...

[View as HTML](#) - [Web Search](#)